

LED Classic P45

Table 1 (page 1-12): LG2603.5d and LG5206d

Table 2 (page 13-20): LG5206dv2, LG1907dv2 and LG1907dCSv2

	Key								
1 to 6	Dimmable, with one to six lamps								
	The dimmer is not tested or not recommended								

			Table	1: LG2603.5	d and LG5206d				
							LG5206d		
				LG2603.5d	Global (All cour	ntries except Italy)	Italy		
Manufacturer	Model No.	Voltage (V)	Wattage		Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹
			(W)	PRESERVATION OF THE PROPERTY O	Table 1	PRINCE OF THE PR		Plantage Park	PRINCIPAL TO SERVICE AND ADMINISTRATION OF THE PRINCIPAL TO SERVICE AND
ABB	6523U	230	2-100(LED)	1 to 6		1 to 3			1 to 3
Altenburger	50.04.000	220	60-600	1 to 6	1 to 6		1 to 6		
Altenburger	EHR600W	220-240	60-600	1 to 6					
Altenburger	Sim2A	220	60-400	1 to 6		1 to 6			1 to 6
Anam	ASW 3000-1	220-240	60-1000	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
Aurora	AU-DSP1001	240	75-1000			1 to 6			1 to 6
Aurora	AU-DSP400	240	60-400	1 to 6					
Aurora	AU-DSP400X	240	60-400	1 to 6	1 to 6		1 to 6		
Aurora	AU-DSPP400X	230	60-400			1 to 6			1 to 6
Belid	KDT-250E-1	230	5-250		1 to 6		1 to 6		
Berker	85421200	230	25-400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
BG	DM400AP	200-250	60-400			1 to 6			1 to 6
British General	881P-01	240	60-400	1 to 6					
British General	AT091-BG	200-250	60-500	1 to 6	1 to 6		1 to 6		
Broco	F25AF	220-240	60-500	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6

www.megaman.cc Version: V16.031



	Table 1: LG2603.5d and LG5206d												
							LG5206d						
				LG2603.5d	Global (All cour	ntries except Italy)	Italy						
Manufacturer	Model No.	Voltage (V)	Wattage (W)	LG2603.50	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹				
		(v)	(w)	PRIMARAE	Pitidional	PRINCIPAL PRINCI	Pitchines*	Pilidands*	Pitalines*				
Bticino	CW20 802	250	400	1 to 6	1 to 6		1 to 6						
Bticino	L4581	220-230	50-1000	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Bticino	L-N-NT4402	230	60-500			1 to 6			1 to 6				
Bticino	M9350S	220-240	500	1 to 4									
Busch	2200	230	60-400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Busch	2210510	220-240	60-400	1 to 3	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Busch	2210-510	220-240	400	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Busch	2247U	230	500		1 to 6		1 to 6						
Busch	2250U	220-240	60-600	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Busch	6513 U102	220-240	420	4 to 6	1 to 2	1 to 6	1 to 2	1 to 2	1 to 6				
Busch	6517 U-101	230	400	1 to 6		1 to 6			1 to 6				
Busch	6524U	230	2-100			1 to 3			1 to 3				
Busch	6593U	230	420		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Castel 2	130 290	230	60-300		1 to 6		1 to 6						
Chengli	27V500	250	500			1 to 6			1 to 6				
China IDV	IKT02	220	500		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Click	MD9042	220-240	60-400	1 to 6		1 to 6			1 to 6				
Clipsal	3031V500M/K	250	500	1 to 6									
Clipsal	32E450LM	220-240	20-450	1 to 6	1 to 6		1 to 6						
Clipsal	32E450TM	220-240	10-450	1 to 2									



			Table	1: LG2603.5	d and LG5206d				
							LG5206d		
				LG2603.5d	Global (All cour	ntries except Italy)	Italy		
Manufacturer	Model No.	Voltage (V)	Wattage (W)	LG2603.50	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹
		(*)	(,	PRIMARAS		PRIORING TO THE PRIORING TO TH	Pitchines*	Pilidands*	Prince of the Control
Clipsal	32E450ULM	220-240	450	1 to 6					
Clipsal	32V 500 Series	220-240	500	1 to 4	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
Clipsal	E3032V500	250	500	1 to 6					
Clipsal	EV51RD400	220	400		1 to 2	1 to 6	1 to 2	1 to 2	1 to 6
Clipsal	F50RD400M	220	400		1 to 6		1 to 6		
Clipsal	S/I/E32	250	500	1 to 2	1 to 6		1 to 6		
Contactum	P400	216-253	60-400	1 to 6					
Crabtree	CPU-2W400	200-240	60-400	1 to 6		1 to 6			1 to 6
Crabtree	CRO-1W400	220-240	10-600	1 to 6					
Danlers	DP1DLED	230	5-250	1 to 6	1 to 6		1 to 6		
Danlers	DR1D400w	230	60-400	1 to 6					
Danlers	OPD LED	230	5-250		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
Denmans	D0017/B	200-240	60-250			1 to 6			1 to 6
Denmans	HDP-400	200-240	60-400	1 to 6					
Deta	1954CH	200-250	60-400		1 to 6		1 to 6		
Deta	DEP-250DT	200-240	35-250			1 to 6			1 to 6
Deta	DEP-400DT	200-240	35-400	1 to 6		1 to 6			1 to 6
Dimcontrol	CFL-100	230	1000			1 to 6			1 to 6
Dimmalite	EUR400	230	60-400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
Doyle & Tratt Products	7066	220-240	40-250	1 to 6					



	Table 1: LG2603.5d and LG5206d												
							LG5206d						
				LG2603.5d	Global (All cour	ntries except Italy)	Italy						
Manufacturer	Model No.	Voltage (V)	Wattage (W)	202003.30	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹				
		(V)		PREMARKE:	Pilidanas	Pilidaran	Pilidanda*	Pilidanas*	PERSONAL				
Doyle & Tratt Products	P400	220-240	60-400	1 to 6									
Drespa	814	230	60-400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Düwi	8050	230	40-400	1 to 6	1 to 6		1 to 6						
Düwi	11442	230	50-300	1 to 5		1 to 6			1 to 6				
Düwi	ET1 53850	230	20-300	1 to 1									
Düwi	Grundtyp D1	230	60-300	1 to 6									
Düwi	Grundtyp ET1 53850	230	20-300			1 to 6			1 to 6				
Düwi	Grundtyp H1	230	20-500	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Eagltrise	SED300FHS	220-240	60-300	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Egant	B327	250	400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Elako	315GLE	230	40-315		1 to 6		1 to 6						
Elari	ATD300R	230	300	1 to 6	1 to 6		1 to 6						
Elko	1471444	230	20-315		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Elko	400GLI	220-240	40-400	1 to 6		1 to 6			1 to 6				
Elko	630GLE	230	40-630			1 to 6			1 to 6				
Eltako	EUD12D-UC	230	400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Eltako	EUD12NPN-UC	230	400		1 to 2	1 to 6	1 to 2	1 to 2	1 to 6				
Eltako	EUD61NPN-UC	230	500		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Eltako	LUD12-230V	230	400			1 to 6			1 to 6				
Everflourish	EF700DC	230	20-300			1 to 6			1 to 6				



	Table 1: LG2603.5d and LG5206d													
							LG5206d							
				LG2603.5d	Global (All cour	ntries except Italy)		Italy						
Manufacturer	Model No.	Voltage (V)	Wattage (W)	PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹					
					Parameter To September 1997	Perial results		PRINCES OF STREET	Parameter (
Everflourish	EFO700DA	220-240	50-300	1 to 6	2 to 6	1 to 6	2 to 6	2 to 6	1 to 6					
Everflourish	EFO700DB	230	50-300	1 to 6	1 to 6		1 to 6							
Finder	Multifunction Dimmer	230	3-500	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6					
Fungyip	F2771	220-240	500	1 to 6										
GE	37/56	230	40-500	1 to 6	1 to 6		1 to 6							
GET	2608	220-240	60-300			1 to 6			1 to 6					
GET	60-400 Watt	220-240	60-400			1 to 6			1 to 6					
GET	EN60669	220-240	250	1 to 6	1 to 6		1 to 6							
GET	GET 60-400W	220-240	60-400			1 to 6			1 to 6					
GET	R25E	200-250	60-250		1 to 2	1 to 6	1 to 2	1 to 2	1 to 6					
Gewiss	GW 20 803	230	300			1 to 6			1 to 6					
Gira	03000	230	20-500	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6					
Gira	16200/I00	230	-		1 to 1	1 to 6	1 to 1	1 to 1	1 to 6					
GP	GP300	250	300	1 to 6		1 to 6			1 to 6					
GP	GP400	250	400		1 to 6		1 to 6							
Hamilton	H-GDM400/2	230	40-400			1 to 6			1 to 6					
Hamilton	H-LEDSTAT	230-240	5-100			1 to 3			1 to 3					
Hamilton	L400/2	220-240	400	1 to 6										
Home Automation	5261	220-240	100-600		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6					
HPM	CAT1000L	220-240	400		1 to 2	1 to 6	1 to 2	1 to 2	1 to 6					



			Table	e 1: LG2603.5	d and LG5206d				
							LG5206d		
				LG2603.5d	Global (All cour	ntries except Italy)	Italy		
Manufacturer	Model No.	Voltage (V)	Wattage (W)	202003.30	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹
		(0)		Plittanae	Filiables*	PRIGATANT	resolations*	residence*	PERSONAL STREET
HPM	CAT400L	220-240	10-400		1 to 6		1 to 6		
HQ	EL-ECODIM-HQ	230	100		1 to 3		1 to 3		
IDV	GKT02	220	500		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
IKEA	E0902-DIM	220-240	25-150	1 to 6	1 to 5		1 to 5		
IKEA	EED100PRS	220-240	15-100		1 to 6	1 to 3	1 to 6	1 to 3	1 to 3
IKEA	TYP E0001	220-240	40-160			1 to 5			1 to 5
Insta	Berker 2874	230	20-525	4 to 6					
Insta	Gira 1176 00/ 100	230	50-420	1 to 6					
JSJS Designs	JSJSLW200WH	220-240	40-250			1 to 6			1 to 6
JSJS Designs	JSJSLW430BLK	220-240	21-210			1 to 6			1 to 6
Jung	1254 UDE	230	50-420		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
Jung	225 TDE	230	20-525			1 to 6			1 to 6
Jung	244EX	220-240	60-400	1 to 6					
Kaoyi	KDT-250E	220-240	5-250		1 to 6		1 to 6		
Keytop	BP1000	220-240	1000	1 to 6					
Khind	DS2500	220-240	500	1 to 4	1 to 5	1 to 6	1 to 5	1 to 5	1 to 6
Корр	80.33	230	40-400	1 to 6					
Legrand	400L	230-240	10-400			1 to 6			1 to 6
Legrand	6146 05	220	60-500		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
Legrand	670 85	230	40-400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6



			Table	1: LG2603.5	d and LG5206d				
							LG5206d		
				LG2603.5d	Global (All cour	ntries except Italy)	Italy		
Manufacturer	Model No.	Voltage (V)	Wattage (W)	resorted	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹
		(4)			PRICE-PACE	PRISADAL [®]	resource*	resource*	presidentes*
Legrand	7354 90	230	40-400		1 to 6		1 to 6		
Legrand	744 05	230	60-500		1 to 4	1 to 6	1 to 4	1 to 4	1 to 6
Legrand	7759 01	230	-		1 to 6		1 to 6		
Legrand	ADWGL4	220-240	40-400	1 to 6		1 to 6			1 to 6
Legrand	ADW-GL6	230	60-600	1 to 1		1 to 6			1 to 6
Legrand	AR400A3PM	230-240	400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
Legrand	BMD 300	100-240	40-300		1 to 6		1 to 6		
Legrand	Haut 100-1000VA	250	100-1000	2 to 6					
Legrand	MD9022	100-240	3-400			1 to 6			1 to 6
Legrand	Mosaic	220-240	60-500		1 to 6		1 to 6		
Legrand	Neptune 806 15	230	60-500	1 to 6					
Legrand	YB-CZD	220	40-630	1 to 6					
Leviton	BME04-2L	220	400			1 to 6			1 to 6
Lightwave	JSJSLW420SS	230	60(LED)			1 to 6			1 to 6
LK	506DA109	230	300		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6
LK	506DA116	230	20-300			1 to 6			1 to 6
LK	506DA117	230	20-300	1 to 6					
LK	506DA120	220-240	20-300		1 to 5	1 to 6	1 to 5	1 to 5	1 to 6
LK	SK1	220-240	400		1 to 6		1 to 6		
Lumeo ECO	T39.07	230	7-110		1 to 3	1 to 3	1 to 3	1 to 3	1 to 3



	Table 1: LG2603.5d and LG5206d												
,							LG5206d						
				LG2603.5d	Global (All cour	ntries except Italy)	Italy						
Manufacturer	Model No.	Voltage (V)	Wattage (W)	PEMPARA	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹				
					Pilidanas*	PRINCE AND ADDRESS OF THE PRINCE AND ADDRESS	Piliderasi*	Filiables*	Pilitalanus ^a				
Lumex	LT1D450LS Series	200-240	5-450		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Lutron	Rania	220-240	50-450			1 to 6			1 to 6				
Mank	MK/TG100001	250	200	1 to 1		1 to 6			1 to 6				
Merten	5722	230	60-600		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Merten	5770	220-230	25-420		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Merten	5778	220-230	20-315		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Merten	MEG5136-0000	230	20-315			1 to 6			1 to 6				
Micro Matic	SE45004	230	5-325		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
MK	42804PL	230	40-250	1 to 6									
MK	43395PL	230	40-300		1 to 1	1 to 6	1 to 1	1 to 1	1 to 6				
MK	47352SL	230	60-450	1 to 6									
MK	52471SL	230	60-500	1 to 6									
MK	GX8051	220-240	40-500	1 to 3		1 to 6			1 to 6				
MK	K1523WHILV	230	40-300	1 to 6									
MK	K1524WHILV	230	4-70	1 to 4		1 to 2			1 to 2				
MK	K1526WHI	230	8-48	1 to 2									
MK	K1527WHI	230	8-48	1 to 2		1 to 1			1 to 1				
MK	K4511WHILV	220-240	4-70(LED)			1 to 6			1 to 6				
MK	L/N1511	230	60-450	1 to 6									
MK	SX8051	240	40-500	1 to 3		1 to 6			1 to 6				



	Table 1: LG2603.5d and LG5206d												
							LG5206d						
				1 C2602 E4	Global (All cour	ntries except Italy)		Italy					
Manufacturer	Model No.	Voltage	Wattage (W)	LG2603.5d	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹				
		(V)			Parameter T T T T T T T T T T T T T T T T T T T	Petialization (Control of the Control of the Contro	PRINCES OF STREET	PRINCES OF STREET	To an analysis of the second				
Nano	FDL 602FW	220	700			1 to 6			1 to 6				
National	WEC57515	220	40-500	1 to 6									
National	WEG57515	220-240	40-500	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
National	WNG575253	220-240	60-600	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
National	WNG6801	220-240	500	1 to 6	1 to 4	1 to 6	1 to 4	1 to 4	1 to 6				
Niko	09-013	230	60-300	1 to 6		1 to 6			1 to 6				
Niko	310-016	220-240	50-500	1 to 6	1 to 6		1 to 6						
Nortronic	AD 500/300 RL	230	40-500			1 to 6			1 to 6				
Nortronic	ATD500GLE	220-240	50-500	1 to 2		1 to 6			1 to 6				
Panasonic	WEJ57515	220	40-500	1 to 6									
Peha	431 HAN LED	230	6-120	1 to 6	1 to 4	1 to 4	1 to 4	1 to 4	1 to 4				
Peha	433 HAB	230	20-315	1 to 6									
Peha	434	230	60-400	1 to 6	1 to 4	1 to 6	1 to 4	1 to 4	1 to 6				
Peha	435 HAB	230	20-600		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Peha	435 HAN	230	60-600	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
POL	CAT 1593M	220-240	500	1 to 6									
REV	136261	230	20-300		1 to 6		1 to 6						
Richi	270.15	220	300		1 to 6		1 to 6						
Richmond	GRID400CFL	240	400		1 to 3	1 to 6	1 to 3	1 to 3	1 to 6				
Richmond	GRID500	240	40-500			1 to 6			1 to 6				



	Table 1: LG2603.5d and LG5206d												
							LG5206d						
				LG2603.5d	Global (All cour	ntries except Italy)	Italy						
Manufacturer	Model No.	Voltage (V)	Wattage (W)	LG2003.3u	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹				
		(*)		PRIMARASE DE LA CONTRACTOR DE LA CONTRAC	Pitidines	PRINCIPAL PRINCI	Pitchines*	Persianan	Filialization (
Richmond	GRID700	240	75-700		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Richmond	MP500	230	40-400	1 to 6									
RPP	RPP-DSP400X	240	60-400	1 to 6									
Schneider	5510X	220	800		1 to 6		1 to 6						
Schneider	ATD315	220-240	-		1 to 6		1 to 6						
Schneider	ATTD1000RL	230	60-1000		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Schneider	C460	220	400		1 to 1	1 to 6	1 to 1	1 to 1	1 to 6				
Schneider	GU6012	200-240	60-400	1 to 6		1 to 6			1 to 6				
Schneider	GU6412EWPW	230	300			1 to 6			1 to 6				
Schneider	LTD300	230	300	1 to 3	1 to 6		1 to 6						
Schneider	SBD315RC	230	20-315			1 to 6			1 to 6				
Schneider	SBD600RCRL	230	20-600		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6				
Schneider	SBD630RC	230	20-630		1 to 6		1 to 6						
Schneider	SBD SPL	230	9-100		1 to 3	1 to 3	1 to 3	1 to 3	1 to 3				
Schneider	SD300	220-240	300	1 to 6	1 to 6		1 to 6						
Schneider	WDE002739	220-230	25-420			1 to 6			1 to 6				
Siemens	Vista	220	500	1 to 6	1 to 6		1 to 6						
Simen	Simen 55	150-250	40-150		1 to 5	1 to 5	1 to 5	1 to 5	1 to 5				
Simon	45E101	220	500		1 to 4		1 to 4						
Simon	75305-69	230	40-500		1 to 6		1 to 6						



	Table 1: LG2603.5d and LG5206d													
							LG5206d							
				LG2603.5d	Global (All cour	ntries except Italy)	Italy							
Manufacturer	Model No.	Voltage (V)	Wattage (W)	LG2003.3u	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹					
		(1)			PRINCIPAL OF	PRINCE	PRINCIPAL TO	PRINCIPAL OF	PHILIP THE PRINCE OF THE PRINC					
Simon	75310-39	230	40-500		1 to 6		1 to 6							
Simon	75313-39	230	40-500	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6					
Simon	Simon813	220-240	40-500	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6					
Soben	C8M2	200-250	630	1 to 6										
Soben	SH100-03-2	220	500		1 to 6		1 to 6							
Switchlight	SW-316	220-240	500	1 to 3		1 to 6			1 to 6					
T&J	EC211-1KM2	230	25-1000	1 to 1										
T&J	K211-M2 6L29	230	40-630	1 to 1	1 to 5	1 to 6	1 to 5	1 to 5	1 to 6					
T&J	K211-M2 7H12	230	40-630			1 to 6			1 to 6					
T&J	K211-M2 HF01	230	-		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6					
T&J	P2017S	220-240	40-630	1 to 4	1 to 6		1 to 6							
TCL	KGM2	220-240	500	1 to 6										
TCL	LM2	220	630	1 to 6										
Theben	Dimax 532	230	500	1 to 6		1 to 6			1 to 6					
Theben	Dimax 534	230	500		1 to 6		1 to 6							
TLC	LV LMOD1	216-253	120	1 to 6		1 to 4			1 to 4					
TLC	VL JP400MOD	230	10-250	1 to 6										
TLC	VL MOD400	230	50-400			1 to 6			1 to 6					
Tridonic	Atco Dali-pcd 300	220-240	30-300		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6					
Varilight	JQP401W	230	100(LED)	1 to 6	1 to 3	1 to 6	1 to 3	1 to 3	1 to 6					



			Table	1: LG2603.5	d and LG5206d					
					LG5206d					
				LG2603.5d	Global (All cour	ntries except Italy)	ltaly			
Manufacturer	Model No.	Voltage	Wattage	LG2003.3u	Produced on or before 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	Produced before 20 th week of 2015 ¹	Produced on 20 th week of 2015 ¹	Produced after 20 th week of 2015 ¹	
		(V)	(W)	PRINADAM P			Pelakusa	The second secon	Place Art	
Varilight	TQP501W	216-253	60-500	1 to 6						
Venus	9720	220	40-900		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	
Venus	ART:9720	220	40-900		1 to 6		1 to 6			
Vi-ko	215	220-240	600	1 to 6						
Vi-ko	90 30 48	220	600	1 to 6						
Vimar	Plana 14150	230	100-500	1 to 6		1 to 6			1 to 6	
VS	554591	220-240	5-250		1 to 2		1 to 2			
Wilts	WPDIMWH401	230	7-40(LED)	1 to 2						
Wintop	13212	230	50-500			1 to 6			1 to 6	
Wonpro	WF Series	250	500	1 to 1	1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	
Wuyun	W13-C142	220-240	20-400		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	
Yamabishi Electric	SVD-2102	230	-		1 to 6	1 to 6	1 to 6	1 to 6	1 to 6	
Zano	ZGRID:LED	230	5-250			1 to 6			1 to 6	
Zano	ZGRID500	230	50(LED)	1 to 6		1 to 6			1 to 6	



Table 2: LG5206dv2, LG1907dv2 and LG1907dCSv2							
				LG5206dv2	LG1907dv2	LG1907dCSv2	
Manufacturer	Model No.	Voltage (V)	Wattage (W)	PSSSAHAN*	PRODATE AND	PRESAMENT	
ABB	6523U	230	2-100(LED)	1 to 6			
Altenburger	EHR600W	220-240	60-600	1 to 6	1 to 6	1 to 6	
Altenburger	Sim2A	220	60-400	1 to 6	1 to 4	1 to 4	
Anam	ASW 3000-1	220-240	60-1000	1 to 6			
Aurora	AU-DSP1001	240	75-1000	1 to 6			
Aurora	AU-DSP400X	240	60-400	1 to 6			
Broco	F25AF	220-240	60-500	1 to 6	1 to 2	1 to 2	
Bticino	CW20 802	250	400	1 to 6			
Bticino	L4581	220-230	50-1000	1 to 6			
Bticino	M9350S	220-240	500	1 to 6			
Busch	2210510	220-240	60-400	1 to 6	1 to 2	1 to 2	
Busch	2210-510	220-240	400	1 to 6	1 to 6	1 to 6	
Busch	2250U	220-240	60-600	1 to 6	1 to 6	1 to 6	
Busch	6513 U102	220-240	420		2 to 3	2 to 3	
Busch	6524U	230	2-100	1 to 3			
Chengli	27V500	250	500	1 to 6	1 to 6	1 to 6	
China IDV	IKT02	220	500	1 to 6			
Click	MD9022	220-240	40-250	1 to 6			
Click	MD9042	220-240	60-400	1 to 6			
Clipsal	3031V500M/K	250	500	1 to 6			
Clipsal	32E450LM	220-240	20-450	1 to 6			
Clipsal	32E450UDM	220-240	450	1 to 6			



	Table 2: LG5206dv2, LG1907dv2 and LG1907dCSv2							
				LG5206dv2	LG1907dv2	LG1907dCSv2		
Manufacturer	Model No.	Voltage (V)	Wattage (W)	PRECAPMA*	PRESIDENCE.	PRESIDENCE!		
Clipsal	32E450ULM	220-240	450	1 to 6				
Clipsal	32V 500 Series	220-240	500	1 to 6	1 to 2	1 to 2		
Clipsal	60TDM	220-240	10-350	1 to 6				
Clipsal	E3032V500	250	500	1 to 6				
Clipsal	EV51RD400	220	400	1 to 6				
Clipsal	F50RD400M	220	400	1 to 6				
Clipsal	KB31-RD400	220-240	400	1 to 6				
Clipsal	S/I/E32	250	500	1 to 6				
Contactum	P400	216-253	60-400		1 to 4	1 to 4		
Crabtree	CRO-1W400	220-240	10-600		1 to 3	1 to 3		
Danlers	DSSGDEU400W	230	400	1 to 6				
Danlers	OPD LED	230	5-250	1 to 6				
Denmans	D0017/B	200-240	60-250	1 to 6				
Dimcontrol	CFL-100	230	1000	1 to 6				
Doyle & Tratt Products	7066	220-240	40-250		1 to 3	1 to 3		
Doyle & Tratt Products	P400	220-240	60-400		1 to 5	1 to 5		
Düwi	8050	230	40-400	1 to 6				
Düwi	8085	230	40-400	1 to 6				
Düwi	Grundtyp D1	230	60-300	1 to 6				
Düwi	Grundtyp H1	230	20-500	1 to 6	1 to 6	1 to 6		
Egant	B327	250	400	1 to 6				
Elari	ATD300R	230	300	1 to 6				



		Table 2: LG52	06dv2, LG1907dv2 ar	nd LG1907dCSv2		
				LG5206dv2	LG1907dv2	LG1907dCSv2
Manufacturer	Model No.	Voltage (V)	Wattage (W)	PRESAMANT	PRODATAGE	PRESIDENCE!
Elko	400GLI	220-240	40-400	1 to 6	1 to 6	1 to 6
Eltako	EUD12D-UC	230	400	1 to 6		
Eltako	EUD12NPN-UC	230	400	1 to 6		
Eltako	EUD61NPN-UC	230	500	1 to 6		
Everflourish	EFO700DA	220-240	50-300	1 to 6	1 to 3	1 to 3
Everflourish	EFO700DB	230	50-300	1 to 6		
Finder	Multifunction Dimmer	230	3-500	1 to 6		
Fungyip	F2771	220-240	500	1 to 6	1 to 2	1 to 2
GE	37/56	230	40-500	1 to 6		
GET	60-400 Watt	220-240	60-400	1 to 6		
GET	R25E	200-250	60-250		1 to 6	1 to 6
Gewiss	GW 20 803	230	300	1 to 6		
Gira	03000	230	20-500	1 to 6		
GP	GP300	250	300	1 to 6		
Hamilton	H-GDM250W VA	230	25-250	1 to 6		
Hamilton	H-GDM400/2	230	40-400	1 to 6		
Hamilton	L400/2	220-240	400		1 to 1	1 to 1
Hamilton	L400/G	230	40-400	1 to 6		
IDV	GKT02	220	500	1 to 6		
IKEA	E0902-DIM	220-240	25-150	1 to 5		
Insta	Berker 2874	230	20-525	1 to 6		
JSJS Designs	JSJSLW420	220-240	20-250	1 to 6		



Table 2: LG5206dv2, LG1907dv2 and LG1907dCSv2								
				LG5206dv2	LG1907dv2	LG1907dCSv2		
Manufacturer	Model No.	Voltage (V)	Wattage (W)	PERSONALIST	PRODATE AND	THESAPART		
Jung	244EX	220-240	60-400	1 to 6				
Keytop	BP1000	220-240	1000	1 to 6	1 to 3	1 to 3		
Корр	80.33	230	40-400	1 to 6				
Legrand	281 080	230	500	1 to 6				
Legrand	6145 25	220-240	25-250	1 to 6				
Legrand	7354 90	230	40-400	1 to 6				
Legrand	ADWGL4	220-240	40-400	1 to 6	1 to 2	1 to 2		
Legrand	ADW-GL6	230	60-600	1 to 6				
Legrand	AR400A3PM	230-240	400	1 to 6				
Legrand	BMD 300	100-240	40-300	1 to 6				
Legrand	Haut 100-1000VA	250	100-1000		3 to 6	3 to 6		
Legrand	MD9022	100-240	3-400	1 to 6				
Legrand	Mosaic	220-240	60-500	1 to 6	1 to 2	1 to 2		
Legrand	Neptune 806 15	230	60-500	1 to 6				
Legrand	YB-CZD	220	40-630	1 to 6				
Leviton	BME04-2L	220	400	1 to 6				
Lightwave	JSJSLW420SS	230	60(LED)	1 to 6				
LK	SK1	220-240	400	1 to 6				
Lumeo	Domus T39.07	230	7-110	1 to 3				
Lumeo	ECO T39.07	230	7-110	1 to 3				
Lumex	LT1D450LS Series	200-240	5-450	1 to 6				
Mank	MK/TG100001	250	200	1 to 6				



	Table 2: LG5206dv2, LG1907dv2 and LG1907dCSv2							
				LG5206dv2	LG1907dv2	LG1907dCSv2		
Manufacturer	Model No.	Voltage (V)	Wattage (W)	MEGAPAN*	PRESAMENT AND ADDRESS OF THE PROPERTY OF THE P	PRISAPARAT TO THE PRISAPARAT T		
Merlin Gurin	MGU351118	230	400	1 to 6	1 to 3	1 to 3		
Merten	5722	230	60-600	1 to 6				
Micro Matic	SE45004	230	5-325	1 to 6				
MK	42804PL	230	40-250		1 to 4	1 to 4		
MK	GX8051	220-240	40-500	1 to 6	1 to 1	1 to 1		
MK	K1523LV/K1524LV	220-240	4-70(LED)	1 to 6				
MK	K4511WHILV	220-240	4-70(LED)	1 to 6				
MK	SX8501	220-240	500	1 to 6				
National	WEC57515	220	40-500	1 to 6				
National	WEG57515	220-240	40-500	1 to 6	1 to 6	1 to 6		
National	WNG575253	220-240	60-600	1 to 6				
National	WNG6801	220-240	500	1 to 6	1 to 6	1 to 6		
Niko	09-013	230	60-300	1 to 6				
Niko	310-016	220-240	50-500	1 to 6	1 to 3	1 to 3		
Norvika	200074	250	30-500	1 to 6				
Omni	WDM-502	250	500	1 to 6				
Panasonic	WEJ57515	220	40-500	1 to 6				
Peha	431 HAN LED	230	6-120	1 to 4				
Peha	433 HAB	230	20-315	1 to 6				
Peha	434	230	60-400	1 to 6				
Peha	435 HAN	230	60-600	1 to 6				
POL	CAT 1593M	220-240	500	1 to 6	1 to 3	1 to 3		



	Table 2: LG5206dv2, LG1907dv2 and LG1907dCSv2							
				LG5206dv2	LG1907dv2	LG1907dCSv2		
Manufacturer	Model No.	Voltage (V)	Wattage (W)	PEEGANAN*	PRESIDENCE TO THE PROPERTY OF	PROGRAMA		
Relco	RM0736	220-240	60-500		1 to 6	1 to 6		
REV	136231	230	20-500	1 to 6				
Richi	270.15	220	300	1 to 6				
Richmond	GRID400CFL	240	400		1 to 3	1 to 3		
Richmond	GRID500	240	40-500		1 to 6	1 to 6		
RRP	PE536	230	400	1 to 6				
Schneider	5510X	220	800	1 to 6				
Schneider	AD2DS	230	300	1 to 6				
Schneider	ATTD1000RL	230	60-1000	1 to 6				
Schneider	C460	220	400	1 to 6				
Schneider	D-SQ0008/B	200-240	60-400	1 to 6				
Schneider	GU6012	200-240	60-400	1 to 6				
Schneider	GU6412EWPW	230	300	1 to 6				
Schneider	LTD300	230	300	1 to 6				
Schneider	SBD SPL	230	9-100	1 to 3				
Schneider	SD300	220-240	300	1 to 6	1 to 4	1 to 4		
Schneider	WDE002747	230	9-100	1 to 3				
Sica	359901	220	100	1 to 3				
Siemens	5UH8722-3NCO3	230	25-400	1 to 6				
Siemens	Vista	220	500	1 to 6				
Simen	Simen 55	150-250	40-150	1 to 5				
Simon	45E101	220	500	1 to 6				



Table 2: LG5206dv2, LG1907dv2 and LG1907dCSv2							
				LG5206dv2	LG1907dv2	LG1907dCSv2	
Manufacturer	Model No.	Voltage (V)	Wattage (W)	PERSAMAN	PRESIDENCE OF THE PROPERTY OF	THE GARRIES	
Simon	75313-39	230	40-500	1 to 6			
Simon	Simon813	220-240	40-500	1 to 6	1 to 6	1 to 6	
Soben	C8M2	200-250	630	1 to 6			
Stsben	Stsben 86	220	15-200	1 to 6			
Switchlight	SW-316	220-240	500	1 to 6	1 to 1	1 to 1	
T&J	EC211-1KM2	230	25-1000	1 to 6			
T&J	K211-M2 6L29	230	40-630	1 to 6			
T&J	P2017S	220-240	40-630	1 to 6	1 to 1	1 to 1	
TCL	KGM2	220-240	500	1 to 6	1 to 4	1 to 4	
TCL	LM2	220	630	1 to 6			
Teclastar	45291	220	500	1 to 6			
Theben	Dimax 532	230	500	1 to 6			
Tridonic	Atco Dali-pcd 300	220-240	30-300	1 to 6			
Varilight	JQP401W	230	100(LED)	1 to 6			
Varilite	Z0JP250P	230	100(LED)	1 to 6			
Venus	9720	220	40-900		1 to 2	1 to 2	
Venus	ART:9720	220	40-900	1 to 6			
Vi-ko	215	220-240	600	1 to 6			
Vi-ko	90 30 48	220	600	1 to 6			
Vimar	Plana 14150	230	100-500	1 to 6			
Vivian	D-21102	220-240	1000	1 to 6	1 to 3	1 to 3	
Wilts	WPDIMWH401	230	7-40(LED)	1 to 2			




Table 2: LG5206dv2, LG1907dv2 and LG1907dCSv2							
Manufacturer				LG5206dv2	LG1907dv2	LG1907dCSv2	
	Model No.	Voltage (V)	Wattage (W)	PSSGAPAN*	PROAPAGE 1000 10	PERSONAL	
Wonpro	WF Series	250	500	1 to 1			
Zano	ZBARLED 1000	230	1000	1 to 6			
Zano	ZGRID:LED	230	5-250	1 to 6			
Zano	ZGRID500	230	50(LED)	1 to 6			

LED Classic P45



Remarks:

¹The production schedule (date code) can be found on the lamp:



For example, a lamp with a production schedule of 20th week of Year 2014, the date code will be "14W20".

A lamp with a product schedule ON or AFTER 20th week of Year 2014

The lamp may be produced on the 25th week of Year 2014, 1st of Year 2015, 10th of Year 2015, etc. Then the date code with be 14W25, 15W01 and 15W10 respectively.

<u>A lamp with a product schedule BEFORE 20th week of Year 2014</u>
The lamp may be produced on the 2nd week of Year 2014, 5th week of Year 2014, 18th week of Year 2014, then the date code with be 14W02, 14W05 and 14W18 respectively.

The minimum and maximum numbers of LED lamp compatible depend upon the performance of the dimmer, which is subject to the status of the manufacturer's technology. Due to possible variations in country dimmer module specifications, please contact your local distributor for a list of compatible dimmers before installation. Copyright © MEGAMAN® 2016. All rights reserved.

All the information contained within this publication was correct at the time of update and is subject to change without prior notice. All other trademarks mentioned are the property of their respective owners.