

# PAR20 6W E27 WFL 2800K



Product Code:

**LR2906-WFL-E27-2800K-230V**

## Electrical Data

Voltage (V)	220-240V
Frequency (Hz)	50/60
Power Factor	>0.5
Starting Time (sec)	<0.5
Warm-up Time Up to 100% of the Full Light Output (sec)	Instant full light

## Product Data


Lamp Base	E27
Product Wattage (W)	6
Equivalent Wattage (W)	50
Reflector	PAR20
Beam Angle ( ° )	WFL (35°)
Colour Temperature (K)	Warmwhite (2800K)
Colour Render Index (Ra)	Ra80
Colour Consistency (SDCM)	<6
Dimmable	No
Energy Label	A
Operating Temperature	-30 ° C to +40 ° C
Switching Cycles (times)	>1000000
Mercury Content (mg)	N/A
Weight (g)	60
Application	Hospitality

## Performance Data


Max. Luminous Intensity (cd)	450
Total Luminous Flux (lm)	350
Luminous Flux in 90 ° cone (lm)	250
Rated Life (hrs)	15000
Lumen Maintenance at the End of Lamp Life (%)	70

## Product Dimensions

Diameter (mm)	63
---------------	----



m	Lux	Ø cm
0.5	1800	32
1	450	63
1.5	200	95
2	113	126
Beam angle = 35°		



Length (mm) | 90

Remarks:

The rated lamp life, rated luminous flux in 90 ° cone, total luminous flux, rated beam angle and rated wattage are equivalent to their nominal values shown on product packaging. There is no measurable output from 180nm to 380nm, so the chart shows only 380nm to 800nm.