

ANNA

SMALL SIZE

E27 hexagonal lantern in classic style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Modular construction suitable for post top, hanging and wall installation. Supplied as optional with TÜV approved, long-life and efficient **LED filament lamps** suitable for outdoor use. Insulation class II, protection rating IP55.

*Lanterna esagonale E27 in stile classico, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a palo, a sospensione o a parete. Fornita anche completa di **lampadine LED a filamento** adatte ad uso in ambiente esterno, approvate TÜV, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*

NEW FILAMENT LED

INDOOR & OUTDOOR USE

6W - 8W - 12W
100-240 V



E22.110.F1R



BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN

URBAN CLASSIC

URBAN MODERN

HIGH-BAY

POST

LAMPS





ANNA - LANTERN COMPONENTS

IP55



NEW
IP55

Decorative **PINNACLE** to be mounted on the roof top for post installation or on the lantern base for hanging installation.

PINNACOLO decorativo applicabile alla sommità del tetto (montaggio a palo) o sulla base della gabbia (montaggio a sospensione).

Lantern **ROOF** made of shockproof resin material, UV rays stabilized and supplied with E27 lampholder. Tool-free opening for relamping and maintenance.

TETTO realizzato in resina antiurto, stabilizzata ai raggi UV, fornito completo di portalampada E27. Rimovibile senza l'ausilio di attrezzi per manutenzione e cambio lampadina.

DIFFUSER made of UV stabilized polymethylmethacrylate (PMMA) resistant to yellowing process due to sun rays, available in clear or opal color and provided with recess for power cable supply. Made of one piece only and closed at the bottom to ensure high protection against external agents (IP 55).

DIFFUSORE in polimetilmetacrilato (PMMA) resistente al processo di ingiallimento dovuto ai raggi solari, disponibile in colore trasparente od opale e provvisto di scanalatura per il passaggio del cavo di alimentazione. Realizzato in un pezzo unico e con fondo chiuso per garantire un alto livello di protezione contro gli agenti esterni (IP 55).

CAGE made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

GABBIA realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

ANNA

E22.000 *



220



310

Ø 60

Dimensions and weight

Height: 310 mm
Width: 220 mm
Depth: 192 mm
Weight: 1 Kg

Moulded colours:

Black White

Painted colours:

Antique green Antique bronze

Diffuser PMMA:

Clear Opal

E27 VERSIONS

*ADD. SUFFIX



E27

NEW
FILAMENT
LED LAMPS
100-240 V



FILAMENT
LED LAMP

E27 (GLS-CFL-LED)	max 60W max 160 mm	.E27	
6 W	800 Lm	2700 K	.F1R
8 W	1000 Lm	2700 K	.M1R
12 W	1500 Lm	2700 K	.N1R

- **PERFECT MATCHING WITH CLASSIC LANTERNS:** clear LED filament lamp with the look and the feeling of a traditional incandescent bulb.
- **SUITABLE FOR OUTDOOR USE:** 100-240 V built-in driver fully protected against heat and humidity by silicone paste.
- **OMNIDIRECTIONAL LIGHT:** 360° light output for a better lighting distribution on hexagonal and square classic lanterns.
- **HIGH EFFICIENCY:** 90% energy saving.

6W
8W
12W = 60W
75W
100W incandescent

SAVE 90%


LED LAMPS



More technical details about TÜV approved Fumagalli LED Lamps on page 468.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

PHOTOMETRIC DATA SAMPLE



ANNA lantern clear with Fumagalli Filament Led Lamp 6W.

POST height 1mt
6x6mt area: average 6 lux

The photometric data for all the versions are available upon request or on our website.

ANNA
SMALL SIZE

BULKHEAD
FLOODLIGHT
IN-GROUND
BRICKLIGHT
BOLLARDS
GARDEN
URBAN CLASSIC
URBAN MODERN
HIGH-BAY
POST
LAMPS



MADE IN
ITALY



BISSO/ANNA

E27 lamp holder	E22.131.E27
6W LED	E22.131.F1R
8W LED	E22.131.M1R
12W LED	E22.131.N1R

Pcs 18
Kg 20,08
mc 0,209

SICHEM/ANNA

E27 lamp holder	E22.120.E27
6W LED	E22.120.F1R
8W LED	E22.120.M1R
12W LED	E22.120.N1R

Pcs 18
Kg 22,8
mc 0,209

ANNA
E22.000

Pcs 1
Kg 1
mc 0,011

MIKROLOT/ANNA

E27 lamp holder	E22.110.E27
6W LED	E22.110.F1R
8W LED	E22.110.M1R
12W LED	E22.110.N1R

Pcs 18
Kg 22,8
mc 0,209

PORPORA/ANNA

E27 lamp holder	E22.141.E27
6W LED	E22.141.F1R
8W LED	E22.141.M1R
12W LED	E22.141.N1R

Pcs 1
Kg 3,5
mc 0,024

MIZAR/ANNA resin

E27 lamp holder	E22.151.E27
6W LED	E22.151.F1R
8W LED	E22.151.M1R
12W LED	E22.151.N1R

Pcs 1
Kg 3
mc 0,044

ALOE'R/ANNA resin

E27 lamp holder	E22.163.E27
6W LED	E22.163.F1R
8W LED	E22.163.M1R
12W LED	E22.163.N1R

Pcs 2
Kg 7,4
mc 0,121

ARTU'/ANNA

E27 lamp holder	E22.158.E27
6W LED	E22.158.F1R
8W LED	E22.158.M1R
12W LED	E22.158.N1R

Pcs 1
Kg 9,4
mc 0,148

BULKHEAD
FLOODLIGHT
IN-GROUND
BRICKLIGHT
BOLLARDS
GARDEN
URBAN CLASSIC
URBAN MODERN
HIGH-BAY
POST
LAMPS

ANNA
SMALL SIZE

BULKHEAD
FLOODLIGHT
IN-GROUND
BRICKLIGHT
BOLLARDS
GARDEN
URBAN CLASSIC
URBAN MODERN
HIGH-BAY
POST
LAMPS





ARTU' BISSO/ANNA 2+1

E27 lamp holder	E22.158.S21.E27
6W LED	E22.158.S21.F1R
8W LED	E22.158.S21.M1R
12W LED	E22.158.S21.N1R

Pcs 1
Kg 12,1
mc 0,176

ARTU' BISSO/ANNA 3+1

E27 lamp holder	E22.158.S31.E27
6W LED	E22.158.S31.F1R
8W LED	E22.158.S31.M1R
12W LED	E22.158.S31.N1R

Pcs 1
Kg 13,1
mc 0,176

GIGI BISSO/ANNA 2+1

E27 lamp holder	E22.156.S21.E27
6W LED	E22.156.S21.F1R
8W LED	E22.156.S21.M1R
12W LED	E22.156.S21.N1R

Pcs 1
Kg 14,1
mc 0,182

GIGI BISSO/ANNA 3+1

E27 lamp holder	E22.156.S31.E27
6W LED	E22.156.S31.F1R
8W LED	E22.156.S31.M1R
12W LED	E22.156.S31.N1R

Pcs 1
Kg 15,1
mc 0,182

ARTU' BISSO/ANNA 2L

E27 lamp holder	E22.158.S20.E27
6W LED	E22.158.S20.F1R
8W LED	E22.158.S20.M1R
12W LED	E22.158.S20.N1R

Pcs 1
Kg 11,1
mc 0,176

ARTU' BISSO/ANNA 3L

E27 lamp holder	E22.158.S30.E27
6W LED	E22.158.S30.F1R
8W LED	E22.158.S30.M1R
12W LED	E22.158.S30.N1R

Pcs 1
Kg 12,1
mc 0,176

GIGI BISSO/ANNA 2L

E27 lamp holder	E22.156.S20.E27
6W LED	E22.156.S20.F1R
8W LED	E22.156.S20.M1R
12W LED	E22.156.S20.N1R

Pcs 1
Kg 13,1
mc 0,182

GIGI BISSO/ANNA 3L

E27 lamp holder	E22.156.S30.E27
6W LED	E22.156.S30.F1R
8W LED	E22.156.S30.M1R
12W LED	E22.156.S30.N1R

Pcs 1
Kg 14,1
mc 0,182