

Syl-Lighter LED Round - 3,000K lamp

Syl-Lighter 110 LED 12W WW

3031606



Product features

-



PRODUCT OVERVIEW

Product code	3031606
Product name	Syl-Lighter 110 LED 12W WW
Technology	LED
Housing Materials	Aluminium
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality, Logistics & Industry, Office
ETIM Class	EC001702
E-number Finland	4273882
E-number Sweden	7462413
Fixture luminous flux (lm)	800
Efficacy (lm/w)	67
Colour temperature (K)	3000
Light colour	Warm white
Beam Angle (°)	78
Total power consumption (W)	12
Control gear type	11
Average life (Nominal) (h)	35000
Housing Colour	White Bezel
IP rating	IP44
IK rating	IK02
Product EAN number	8711971316060
Included lamp	INTEGRATED LED

DATA TABLE

General data

Product code	3031606
Product name	Syl-Lighter 110 LED 12W WW
Technology	LED

Syl-Lighter LED Round - 3,000K lamp

Syl-Lighter 110 LED 12W WW

3031606

Housing Materials	Aluminium
Mount	Ceiling recessed
Environment	Interior
General application	Hospitality, Logistics & Industry, Office
ETIM Class	EC001702
E-number Finland	4273882
E-number Sweden	7462413

Optical data

Fixture luminous flux (lm)	800
Efficacy (lm/w)	67
Colour temperature (K)	3000
Light colour	Warm white
Adjustable chromaticity	N
Beam Angle (°)	78

Electrical data

Total power consumption (W)	12
Efficacy (lm/w)	67
Mains voltage (V)	220-240V~
Control gear type	11
Drive current (mA)	350
Glow Wire Test (°C)	650

Lifetime data

Average life (Nominal) (h)	35000
Average life (Rated) (h)	35000

Physical data

Housing Colour	White Bezel
IP rating	IP44
IK rating	IK02
Diffuser finish	Opal
Diffuser material	Polycarbonate
Nominal Product Length (mm)	110
Nominal Product Width (mm)	110
Nominal Product Height (mm)	35
Weight (kg)	0.359
FieldId_376	35

Packaging

Single packaging type	Carton
------------------------------	--------

Syl-Lighter LED Round - 3,000K lamp

Syl-Lighter 110 LED 12W WW

3031606


Product EAN number	8711971316060
Packaging single length (cm)	9.0
Packaging single width (cm)	14.5
Packaging single height (cm)	11.5
DUN14 (outer)	18711971316067
Units per outer package	20
Packaging outer length (cm)	48.0
Packaging outer width (cm)	31.8
Packaging outer height (cm)	26.9

Safety data

Compatible dimmers	Leading / trailing edge
--------------------	-------------------------

PHOTOMETRY

TECHNICAL DRAWINGS




Syl-Lighter LED Round - 3,000K lamp

Syl-Lighter 110 LED 12W WW

3031606

Lumiance
3031606



This luminaire is compatible with bulbs of the energy classes:

A⁺⁺

A⁺

A

B


C


D

E

}
**L
E
D**

This luminaire is sold with a bulb of the energy class:

874/2012




This luminaire is compatible with bulbs of the energy classes:

A⁺⁺

A⁺

A

B

C

D

E

}
**L
E
D**

This luminaire is sold with a bulb of the energy class:

Lumiance
3031606
874/2012
